

**TRESPA® METEON®  
UNI COLOURS**

UNIQUE  
COLOURS



TRESPA®

# LET'S PLAY WITH METEON® UNI COLOURS!



## COLOUR IS LIFE

At Trespa, we believe that colour is more than just a visual element—it's an expression of life itself. It's vibrant, emotional, and deeply expressive.

## THE ROLE OF COLOUR IN BUILDING ENVELOPES

Colour is not just an aesthetic choice; it plays a crucial role in the building envelope. It breathes life into your facade, transforming raw materials into dynamic, living surfaces.

# COLOUR YOUR WORLD WITH ENDLESS POSSIBILITIES!

## INSPIRATION FOR GENERATIONS

Let colour inspire you to design innovative buildings that stand the test of time. Our Uni Colours Decor Collection is crafted for both current and future generations, ensuring your designs remain timeless and impactful.





## REFERENCES TO THE NATURAL ENVIRONMENT

Back in 2013, more than ten years ago, Basisschool de Toverberg in Kampenhout, Belgium, chose a vibrant façade design featuring Trespa®Meteon® panels in various shades of green. Today, the façade still looks as good as new!

Revisiting the school in 2025, 12 years later, we put this to the test by comparing the original panels with a new colour sample, and the results speak for themselves.

The green solid core panels, refer to the lush natural environment of the school. Furthermore, attention was paid to creating a playful character for the school, by using a selection of colours.

The durable panels have beautifully withstood the test of time, the Belgian climate, and the wear and tear from playful children. Sustainable design and ventilated façades with decorative panels – a perfect match!


### COLOUR INTENSITY

Trespa® Meteon® panels feature vibrant, rich colours achieved through advanced manufacturing processes, including highly pigmented acrylic coatings and the cutting-edge Electron Beam Curing technology (EBC). The technology allows for a **uniform** and flawless finish, ensuring **consistent** texture and **colour intensity** across surfaces with unparalleled **depth and intensity**. The result is a consistent and flawless appearance that elevates architectural designs.




### COLOUR STABILITY

The incorporation of Electron Beam Curing technology (EBC) in Trespa® Meteon® panels creates a hard, closed surface that ensures superior **resistance to weather, to environmental factors** like rain, snow, and extreme temperatures, making it the perfect solution for lasting facade applications. Trespa® Meteon®'s exceptional colour stability guarantees long-lasting visual appeal, making it a trusted choice for enduring architectural beauty.



### IMPACT RESISTANCE

Electron Beam Curing technology (EBC) significantly enhances the **surface hardness and durability** of Trespa® Meteon® panels, providing outstanding **resistance to impact, scratches, and wear**. This ensures the colour and finish remain intact and highly resistant in heavy traffic areas. Trespa® Meteon® combines vibrant aesthetics with unparalleled toughness, delivering façades that stay flawless for years.



## TRESPA HELPS TO DELIVER TIMELESS DESIGNS

WEATHER RESISTANT  
IMPACT RESISTANT  
COLOUR STABILITY

**10**  
YEARS  
GUARANTEE





# UNIQUE IS **GRAPHIC**

SELECTION OF UNI COLOURS


**A90.0.0**  
BLACK




**A21.5.1**  
MID GREY



**A05.0.0**  
PURE WHITE



**A03.4.0**  
SILVER GREY



**A22.2.1**  
BLUISH GREY



**A21.1.0**  
WINTER GREY



**A25.8.1**  
ANTHRACITE GREY



# UNIQUE IS **VOLCANIC**

SELECTION OF UNI COLOURS

**A10.4.5**  
SIENNA BROWN

**A12.3.7**  
CARMINE RED

**A14.7.2**  
DEEP RED BROWN

**A08.8.1**  
DARK BROWN

**A12.6.3**  
WINE RED

**A09.6.4**  
MAHOGANY RED

**A05.1.4**  
SUN YELLOW


**A06.3.5**  
OCHRE



# UNIQUE IS **BIOPHILIC**

SELECTION OF UNI COLOURS

**A37.0.8**  
LIME GREEN



**A08.3.1**  
STONE GREY



**A33.3.6**  
BRILLIANT GREEN




**A06.7.1**  
NATURAL GREIGE



**A32.7.2**  
DARK GREEN



**A37.2.3**  
SPRING GREEN



**A34.8.1**  
FOREST GREEN



**A25.5.4**  
PACIFIC



# UNIQUE IS **NORDIC**

SELECTION OF UNI COLOURS

**A23.0.4**  
MINERAL BLUE

**A20.5.2**  
LAVENDER BLUE

**A22.2.4**  
POWDER BLUE

**A25.8.1**  
ANTHRACITE GREY

**A22.3.1**  
OCEAN GREY


**A22.2.1**  
BLUISH GREY

**A21.1.0**  
WINTER GREY



# UNIQUE IS **ELECTRIC**


SELECTION OF UNI COLOURS



**A17.3.5**  
CYCLAM



**A04.0.5**  
ZINC YELLOW




**A22.1.6**  
ROYAL BLUE



**A10.1.8**  
RED ORANGE



**A37.0.8**  
LIME GREEN



**A22.3.1**  
OCEAN GREY

# DECOR COLLECTION

			
<b>A05.0.0</b> PURE WHITE	<b>A03.0.0</b> WHITE	<b>A04.0.1</b> PEARL YELLOW	<b>A04.0.0</b> CREAM WHITE
			
<b>A08.2.1</b> MID BEIGE	<b>A08.3.1</b> STONE GREY	<b>A05.1.0</b> PAPYRUS WHITE	<b>A05.1.1</b> STONE BEIGE
			
<b>A06.5.1</b> TOSCANA GREIGE	<b>A06.7.1</b> NATURAL GREIGE	<b>A08.8.1</b> DARK BROWN	<b>A11.8.0</b> CERAMIC GREIGE
			
<b>A03.4.0</b> SILVER GREY	<b>A21.5.1</b> MID GREY	<b>A70.0.0</b> SLATE GREY	<b>A19.7.1</b> CHARCOAL GREY
			
<b>A22.3.1</b> OCEAN GREY	<b>A22.2.1</b> BLUISH GREY	<b>A21.1.0</b> WINTER GREY	<b>A03.1.0</b> PASTEL GREY
			
<b>A22.2.4</b> POWDER BLUE	<b>A24.4.1</b> STEEL BLUE	<b>A28.2.1</b> AQUAMARINE	<b>A32.2.1</b> TRANSLUCENT GREEN
			
<b>A22.6.2</b> DARK DENIM	<b>A25.8.1</b> ANTHRACITE GREY	<b>A90.0.0</b> BLACK	<b>A21.7.0</b> STEEL GREY


				
<b>A05.1.2</b> CHAMPAGNE	<b>A05.1.4</b> SUN YELLOW	<b>A04.1.7</b> GOLD YELLOW	<b>A04.0.5</b> ZINC YELLOW	<b>A04.0.2</b> PALE YELLOW
				
<b>A08.2.3</b> SALMON	<b>A10.3.4</b> TERRA COTTA	<b>A06.3.5</b> OCHRE	<b>A08.4.5</b> RUSTY RED	<b>A11.4.4</b> ENGLISH RED
				
<b>A14.7.2</b> DEEP RED BROWN	<b>A12.6.3</b> WINE RED	<b>A12.4.5</b> EAST RED	<b>A09.6.4</b> MAHOGANY RED	<b>A10.4.5</b> SIENNA BROWN
				
<b>A10.1.8</b> RED ORANGE	<b>A12.1.8</b> PASSION RED	<b>A12.2.5</b> MOTION RED	<b>A12.3.7</b> CARMINE RED	<b>A17.3.5</b> CYCLAM
				
<b>A41.0.6</b> MOJITO GREEN	<b>A37.0.8</b> LIME GREEN	<b>A37.2.3</b> SPRING GREEN	<b>A36.3.5</b> TURF GREEN	<b>A33.3.6</b> BRILLIANT GREEN
				
<b>A30.3.2</b> VERDIGRIS	<b>A26.5.4</b> PACIFIC	<b>A28.6.2</b> MID GREEN	<b>A32.7.2</b> DARK GREEN	<b>A34.8.1</b> FOREST GREEN
				
<b>A23.0.4</b> MINERAL BLUE	<b>A22.1.6</b> ROYAL BLUE	<b>A22.4.4</b> BRILLIANT BLUE	<b>A21.5.4</b> COBALT BLUE	<b>A20.7.2</b> DARK BLUE

# FINISHES

Trespa® Meteon® Uni Colours offers two finishes – Satin and Rock. Not only do they give physical durability to High Pressure Laminate (HPL) panels but also enrich decors with a natural look and feel as well.


Each finish is selected to enhance the Trespa® Meteon® product.

Finishes transform the surface, allowing you to play with colour, pattern and texture to achieve your architectural vision.



## SATIN

With a soft sheen, this practical finish has a subtle look reminiscent of an eggshell, creating a warm and natural effect.



## ROCK

A softly polished surface with slightly uneven clefts, reminiscent of those found in natural stone.



# SPECIAL PROJECT COLOUR

Did you know that Trespa International can tailor the decor colour of your project to your exact specifications? With our advanced technology and expertise, combined with your inspiration, we can create a unique Trespa® Meteon® Uni Colour just for you.

For more information about this program please contact us (see back cover for contact details).


THE TABLE BELOW PRESENTS THE CLOSEST MATCHING NCS AND RAL COLOUR CODES

Meteon® Code	Colour Names	NCS (closest)	RAL (closest)
A03.0.0	White	0502 Y	
A03.1.0	Pastel Grey		9018
A03.4.0	Silver Grey		
A04.0.0	Cream White	1005-Y20 R	
A04.0.1	Pearl Yellow		
A04.0.2	Pale Yellow	0520-Y	
A04.0.5	Zinc Yellow	0570-Y	1018
A04.1.7	Gold Yellow		
A05.0.0	Pure White		
A05.1.0	Papyrus White		9001
A05.1.1	Stone Beige		
A05.1.2	Champagne	1020-Y20 R	
A05.1.4	Sun Yellow		
A05.5.0	Quartz Grey		
A06.3.5	Ochre		
A06.5.1	Toscana Greige	6005-Y50 R	
A06.7.1	Natural Greige	7005-Y50 R	
A07.1.1	Sand	1010-Y40 R	
A08.2.1	Mid Beige	2005-Y50 R	
A08.2.3	Salmon		
A08.3.1	Stone Grey		
A08.4.5	Rusty Red	4050-Y50 R	
A08.8.1	Dark Brown		
A09.6.4	Mahogany Red		
A10.1.8	Red Orange		
A10.3.4	Terra Cotta		
A10.4.5	Sienna Brown		
A10.6.1	Taupe		
A11.4.4	English Red		
A11.8.0	Ceramic Greige		
A12.1.8	Passion Red		
A12.2.5	Motion Red		
A12.3.7	Carmine Red		
A12.4.5	East Red		
A12.6.3	Wine Red		
A14.7.2	Deep Red Brown		
A17.3.5	Cyclam		
A19.7.1	Charcoal Grey		
A20.5.2	Lavender Blue		
A20.7.2	Dark Blue		
A21.1.0	Winter Grey	1502 B	
A21.5.1	Mid Grey	5500 N	7037
A21.5.4	Cobalt Blue	5040 R 80 B	
A21.7.0	Steel Grey		7011
A22.1.6	Royal Blue		5015
A22.2.1	Bluish Grey	2010 R 90 B	
A22.2.4	Powder Blue		
A22.3.1	Ocean Grey		
A22.4.4	Brilliant Blue		
A22.6.2	Dark Denim	6020 R 90 B	
A23.0.4	Mineral Blue	0540 B	
A24.4.1	Steel Blue	4010 B 10 G	
A25.8.1	Anthracite Grey		7016
A26.5.4	Pacific	5040 B 30 G	
A28.2.1	Aquamarine		
A28.6.2	Mid Green		
A30.3.2	Verdigris		
A31.4.1	Zinc Grey	4005-B80G	
A32.2.1	Translucent Green		
A32.7.2	Dark green		
A33.3.6	Brilliant Green	3560 G	
A34.8.1	Forest Green		
A35.4.0	Cactus Green	S4010-G30Y	
A36.3.5	Turf Green		6017
A37.0.8	Lime Green	S1075-G40Y	
A37.2.3	Spring Green		
A41.0.6	Mojito Green		
A70.0.0	Slate Grey	7000 N	
A90.0.0	Black		9005

## TYPES

- **SINGLE SIDED DECORATIVE** DECORATIVE SIDE WITH NON DECORATIVE BLACK REVERSE
- **DOUBLE SIDED DECORATIVE** SAME COLOUR FOR FRONT AND REVERSE SIDE OF THE PANEL
- **VARITOP** DECORATIVE SIDE WITH STANDARD WHITE DECORATIVE SATIN REVERSE (A03.0.0)
- **DUOCOLOUR** DIFFERENT COLOUR FOR FRONT AND REVERSE SIDE OF THE PANEL

## SIZES



- 1 2550 x 1860 mm (≈ 100 x 73 inch)
- 2 3050 x 1530 mm (≈ 120 x 60 inch)
- 3 3650 x 1860 mm (≈ 143 x 73 inch)
- 4 4270 x 2130 mm (≈ 168 x 83 inch)\*

\* THE LARGE SIZE OF THIS PANEL ALLOWS AN EFFICIENT MACHINING OF THE PRODUCT.

## THICKNESSES



## NOTE

PLEASE BE AWARE THAT NOT ALL PRODUCT-FINISH COMBINATIONS ARE POSSIBLE. FOR AVAILABLE SHEET SIZES, THICKNESSES AND FINISHES IN YOUR COUNTRY, PLEASE CHECK **TRESPA.INFO** FOR THE DETAILED AND UP TO DATE DELIVERY PROGRAMME AND MATERIAL PROPERTY DATASHEET. ALTERNATIVELY YOU CAN USE THE PRODUCT SELECTOR ON **TRESPA.COM** (AFTER CHOOSING THE COUNTRY WHERE THE PROJECT IS LOCATED).



**ORDER SAMPLES AT TRESPA.COM**

## CONTACT US

### TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert  
Wetering 20, 6002 SM Weert  
The Netherlands  
www.trespa.com

### UNITED KINGDOM & IRELAND

#### TRESPA UK LTD.

Coast Road  
North Shields  
Tyne & Wear, NE29 8RE  
United Kingdom  
Tel: 0808-2340268  
Info.UK@Trespa.com

### EMEA & APAC EXPORT CUSTOMER SERVICE DESK

Tel: +31 (0) 495 458 839  
Info.Export@Trespa.com

## VISIT US

### TRESPA DESIGN CENTRE WEERT

Wetering 20  
6002 SM Weert  
The Netherlands  
Tel: +31 495 721 424  
TDC.Weert@Trespa.com  
www.trespa.com

## FOLLOW US



### FOR MORE INFORMATION

[WWW.TRESPA.COM](http://WWW.TRESPA.COM)

## DISCLAIMER

### GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: [www.trespa.com](http://www.trespa.com)). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colours used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colours of the Trespa products to be supplied. Samples are not intended for use in product tests and are not representative of characteristics of the Trespa

products. Trespa's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Metallics panels feature a surface whose colour appears to change based on the direction from which it is viewed. The specified colour stability and colour specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery programme and the Material Properties Datasheet can be found at [www.trespa.info](http://www.trespa.info). Only the information in the most recent and valid Material Property Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

### LIABILITY

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or

related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

### GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*) filed with the Chamber of Commerce and Industry for Noord- en Midden- Limburg in Venlo (NL) on 9th May 2023 under number 24270677, which can be found on and downloaded from the Trespa website, [www.trespa.com/documentation](http://www.trespa.com/documentation). All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website, [www.trespa.com/documentation](http://www.trespa.com/documentation). A copy of these general conditions of sale will be provided free of

charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

### INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. \* Trespa, Meteon, Athlon, TopLab, TopLab<sup>PLUS</sup>, TopLab<sup>PLUS ALIGN</sup>, TopLab<sup>ECO-FIBRE</sup>, TopLab<sup>VERTICAL</sup>, TopLab<sup>BASE</sup>, Virtuon, Izeon, Pura, Pura NFC, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

### QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.



EN-GB2440-432985 ■ VERSION 1.0  
BROCHURE CODE EN-GB2440 ■ DATE 09-2025

VISIT [TRESPA.COM](http://TRESPA.COM) FOR THE MOST  
UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®