

RESIDENTIAL

# ENGINEERED WOOD SIDING



Parklex®

# Nature Siding brings real wood to your home's exterior without the need of restaining, resealing, or repainting... ever.

The surface composition of Parklex® products protects wood against harsh weather conditions, eliminating the need for any restaining, resealing, or repainting before and after the material is installed. We are pleased to present Nature Siding, a pioneering rainscreen siding system which brings authentic, ultra-low maintenance wood to any climate.

Parklex® has specialized in the manufacturing of wood for architecture since 1966. Different varieties of natural wood veneers are hand-selected at our facilities and then processed and formulated to eliminate the need for any ongoing finishing or further treatment after the product is installed.

For over 50 years, Architects, Interior Designers, Developers and Home Owners have installed our products worldwide. This experience is the key factor that makes us the top innovator.





Parklex® Nature 12" Lap Siding in Copper

**Feel safe at home,  
Nature Siding panels are  
manufactured to guarantee  
the best possible performance  
under the most demanding  
weather and environmental  
conditions over time.**

### **Year-round comfort.**

Nature Siding is a rainscreen system, an efficient bioclimatic solution that provides thermal insulation, moisture drainage and proper ventilation. In other words, it reduces heat dissipation in the colder months and heat absorption in the warmer months, resulting in a marked improvement in comfort inside of the building.

Unlike any untreated wood product, it won't rot, crack or bend with persistent snow, heavy rains or hail, and scorching summer months won't change its tone or affect its aesthetics. It flawlessly withstands decay, mold, mildew and insect infestation.




- **Real wood with no restaining, resealing, repainting**
- **Resistant against mold and insect infestation**
- **Protection against the elements: Permeability, solar and acoustic protection**
- **Color stability against UV-ray damage**
- **Easily adaptable to any kind of architectural requirement**



Since 2003, Parklex® has implemented the ISO 9001 Quality Management System in order to ensure our products and the excellent service we provide to our clients are consistently delivered. Parklex® Nature Siding panels are subjected to rigorous testing both at our in-house R+D Department as well as independent, accredited laboratories throughout the world. Our commitment to quality ensures the outstanding performance of our products. Parklex® Nature Siding may be installed in both internal and external environments. They are subject to constant wear from the sun, humidity and abrasion in extreme traffic areas. For this reason, a great deal of effort and investment in R+D is made, ensuring the durability and stability of the materials.

## A wood tone for each style.


Nature Siding is available in nine wood tones. Veneers are harvested from sustainable forests.



Due to the fact that wood is a natural product, each veneer must be considered as unique. The presence of slight differences in color and structure is normal. Singularities such as knots or resin inclusions are not considered to be defects, but as part of the decoration. Depending on the species and the source of the wood, differences in performance may be observed, as regards the color's light fastness. For this reason, no claims will be admitted on the basis of changes in tone between the sample and the end product.

## Choose your siding pattern.


Nature Siding grooved panels are 8 mm thick, 2440 mm long, and are available in widths 188 mm or 290 mm. They can be installed over metal or wood substructures using three pattern options:



Nature 290 mm Siding



Nature 290 mm Lap Siding




Nature 290 mm Vertical Siding



Nature 188 mm Siding



Nature 188 mm Lap Siding



Nature 188 mm Vertical Siding

## A one-stop shop.

We supply all the accessories necessary for an easy installation of Nature Siding with our recommended installation systems: fixing clips, anchoring pieces, gap gauge tools, screws and adapters.

- **Pre-finished, ready to install, ready to use grooved panels**
- **Supply of all the installation accessories**
- **Easy, quick and safe procedures**



For further information on how to install Parklex® Nature Siding, please contact us at [parklexusa@parklex.com](mailto:parklexusa@parklex.com).

A photograph of a lush green park with many trees under a clear blue sky. The trees are dense and green, with some taller trees in the background. The foreground is a grassy area with some small plants.

**Give your home the best,  
with Parklex® building solutions.**

**PARKLEX INTERNATIONAL, S.L.  
POLÍGONO ALKAIAGA, C/BALDRÚN  
31780 BERA - NAVARRA - SPAIN  
TEL. +34 948 625 045  
PARKLEX@PARKLEX.COM**

**WWW.PARKLEX.COM**