


**WHATEVER
COMES :)
DON'T WORRY,
IT'S
GERARD!**




 **GERARD**
The worry-proof roof

GERARD® CLASSIC

DESIGNED FOR HOMES THAT NEED A BOLDER, STRONGER-LOOKING ROOF, GERARD CLASSIC TILE MIXES EDGY INNOVATION WITH OLD-WORLD CHARM.




LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1265 mm	369 mm	2.14	6.53 kg	12° (21%)




CHARCOAL	CHESTNUT	DARK SILVER	REDWOOD
SPANISH RED	ASHWOOD	CEDAR	FOREST GREEN
PEPPER	ROSSO	SAGE	SAPPHIRE
TUSCANY	RUSTIQUE		

GERARD® HERITAGE

TIMELESS AND ELEGANT, GERARD TILE HERITAGE HAS THE SCALLOPED PROFILE TYPICAL OF TRADITIONAL TERRACOTTA TILES.



LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1245 mm	367 mm	2.18	6.56 kg	12° (21%)




CHARCOAL	CHESTNUT	DEEP BLACK	SPANISH RED
ASHWOOD	CEDAR	DARK SILVER	FOREST GREEN
REDWOOD	ROSSO	SAPPHIRE	SAGE
PATINA GRAY	PATINA ROSSO		


NS Non-standard colour

GERARD[®] MILANO

INSPIRED BY TRADITIONAL ROMAN TILE DESIGN, GERARD TILE MILANO LOOKS SMOOTH, CLEAN AND CLASSIC. ITS TIMELESS PROFILE MAKES A STRONG STYLE STATEMENT, ESPECIALLY ON STEEPLY PITCHED ROOFS.




LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1215 mm	369 mm	2.23	6.76 kg	12° (21%)




GERARD[®] CORONA SHAKE

REFLECTING THE CHARM OF COLONIAL TIMES, GERARD TILE CORONA SHAKE IS DESIGNED TO REPLICATE THE LOOK AND FEEL OF A HANDMADE REAL-WOOD SHAKE.



LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1250 mm	371 mm	2.16	6.76 kg	15° (27%)




NS Non-standard colour

GERARD® DIAMANT

GERARD DIAMANT TILE - INSPIRED BY ONE OF THE TOUGHEST AND MOST ENDURING MATERIALS KNOWN TO MAN. SAVES 10% OF THE ROOFING TIME AND 10% OF YOUR BUDGET.




LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1270 mm	398 mm	1.98	6.28 kg	14° (25%)




GERARD® SENATOR SHINGLE

A STYLE STATEMENT THAT WORKS WITH CONTEMPORARY AND TRADITIONAL ARCHITECTURE, GERARD SENATOR SHINGLE HAS A DISTINCTIVE VERTICAL-RIDGE TEXTURED FINISH THAT GIVES YOUR ROOF SOLIDITY AND CHARACTER.




LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1260 mm	369 mm	2.15	6.69 kg	15° (27%)



NS Non-standard colour

GERARD® ALPINE SLATE

INSPIRED BY THE LOOK OF TRADITIONAL SLATE ROOFS, THE GERARD ALPINE SLATE PROFILE BRINGS A SMOOTH, LINEAR LOOK WHILE SURFACE DETAILING ADDS A SLIGHTLY RUSTIC OVERTONE. THE PROFILE HAS A SIMPLICITY THAT WORKS WITH BOTH, CONTEMPORARY AND TRADITIONAL ARCHITECTURE.



LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1250 mm	368 mm	2.18	6.60 kg	15° (7%)




GERARD® ELEGANTA

NEW

THE HARMONY AND FUNCTIONALITY ARE FOUND IN THE NEW GERARD ELEGANTA PROFILE. A RECTANGULAR SHAPE IN HARMONY WITH TODAY'S DESIRE OF SIMPLICITY AND BEAUTY.



LENGTH OF COVER	WIDTH OF COVER	TILES/m ²	WEIGHT/m ²	MINIMUM PITCH
1260 mm	320 mm	2.47	2.75 kg	15° (27%)



THE ROOF WITH TRADITION – FROM NEW ZEALAND TO THE ROOFTOPS OF THE WORLD

GERARD® Roofs are the culmination of decades of development that began in New Zealand in the early 1950's. GERARD® Roofs can be found in over 130 countries worldwide.

RESISTANT TO EXTREME CLIMATIC CONDITIONS

A GERARD® roof defies high winds, heavy rain, snow, ice and hail. It is a roof for tomorrow's climate.

LIGHTWEIGHT AND IDEAL FOR RE-ROOFING

A GERARD® roof is up to 7 times lighter than traditional roofing products. This means substantial savings can be achieved in structural costs – no need to replace or strengthen the existing roof substructure. GERARD® tiles are not heavy or bulky, which reduces delivery costs and enables transportation to remote or mountainous areas not easily accessed by heavy goods vehicles.

MAINTENANCE AND WORRY FREE

Once installed it requires no maintenance and will protect your house for many years to come.

EXTREMELY LONG LASTING

GERARD® is guaranteed to be long lasting. Aluminium-zinc and Zinc-Aluminium-Magnesium coated steel provides superior long term corrosion resistance.

FIRE RESISTANT

GERARD® roofs have passed stringent international fire tests. The incombustible steel substrate and surface coating prevent the spread of flames when exposed to fire. The lightweight nature of GERARD® roofs considerably reduces the potential for the roof to collapse.

NOISE RESISTANT

Although GERARD® roofs are made of metal, they are not noisy. Carefully selected chip stone granules provide excellent surface coverage and minimises the noise of rain on the roof.

ENVIRONMENTALLY FRIENDLY AND RECYCLABLE

Steel can be recycled infinitely, without losing any of its qualities. Rainwater collected from GERARD® roofs has been tested and meets the World Health Organisation's criteria for drinking water.

50 YEARS WARRANTY

GERARD® offers you a 50 years limited Waterproof Warranty, in addition to quality customer service. For more information please have a look on our website.



LIGHTWEIGHT



WIND & STORM
RESISTANT



HAIL
RESISTANT



SNOW & ICE
RESISTANT



FIRE RESISTANT



NOISE
RESISTANT



GERARD CLASSIC



GERARD HERITAGE



GERARD DIAMANT



GERARD CORONA SHAKE



GERARD SENATOR SHINGLE



GERARD MILANO



GERARD ALPINE SLATE



GERARD ELEGANTA

 **GERARD**
The worry-proof roof

IKO Metals Europe NV
Michielenweg 3,
3700 Tongeren, Belgium

www.gerardroofs.eu

Phone: (+32) 12 24 18 01
Fax: (+32) 12 24 18 02
Email: info.europe@ikometals.com

Authorised partner of GERARD®